reelink

W320

5MP WiFi Security Camera with Smart Detection


- 2.4/5 GHz WiFi
- Person/Vehicle Detection
- Audio Recording
- 100ft Night Vision





New Technology Reduces False Alarms

With the on-camera technology of analyzing person and vehicle shapes, the camera can accurately detect humans and vehicles. It greatly reduces the false alarms since other less important objects' movements are ignored.





Super High Definition

This WiFi security camera with 5MP super HD provides you with a clearer visual quality & smoother live viewing experience. You can stay better informed with the hard-to-see details captured by the camera.



80° Viewing Angle



Audio Recording





Super Clear Night Vision

This IP security camera with infrared LEDs provides superior image quality for your nighttime recordings. It is ideal for outdoor areas that aren't always well-lit.





Dual-Band WiFi

The camera supports both 2.4 GHz and 5 GHz (5.8 GHz) frequencies to ensure better performance for camera networking. Flexible to choose, easy to set up.



2T2R MIMO Antennas



• 2.4/5 GHz Dual-Band





Super Fun Time Lapse

Cameras with time lapse make it quicker and easier to capture the dynamic of long-term events like sun rising and flower blooming. Have fun shooting movie-like videos! *This feature is incompatible when camera is connected to NVRs.



Remote Access



With a few clicks on Reolink App or Client, you can stay tuned with your home or business all the time.



Real-Time Alerts

Once it detects something suspicious, the camera will send to your device an instant push notification and an email with a detection snapshot.

Know what's happening all the time.



Easy & Smart Playback

You can not only replay saved videos to find key information but also filter the video by detection modes and control the timeline to quickly locate what you want to see.



Live View from Anywhere

Check your home situation when you're on the journey, or see what's up with your kids when you're busy in the kitchen, with audio recording.



Motion Zone

You can customize the motion zone to your like, deciding where objects' movements will be detected and where they will not.

Flexible Storage Options



This smart IP camera supports 24/7 continuous, motion-triggered and scheduled recording. Videos of all those 3 recording types can be saved into the micro SD card, the Reolink NVR or the FTP server. Choose a way you like and enjoy easy and customized security.

Micro SD Card



Reolink NVR



Waterproof Design




This waterproof camera is designed for use in multiple scenarios. Its IP66 housing can withstand powerful water jets, plus intense heat, humidity, and the cold







It can't be easier to control W320 with Google Assistant. Just say "Ok Google, show me the backyard" and the live feed will appear on your Google Nest Hub or Chromecast-enabled TVs









1. Antenna

4. 18 IR LEDs

2. Mount

- 5. High Definition Lens(f=4.0mm)
- 3. Metal Aluminum Case
- 6. Daylight Sensor

Unsrew it(Counterclockwise) to loosen the bracket
 and adjust the camera in any direction
 After adjustment, twist it back to fix the camera





1. Micro SD Card Slot



- 1. Power
- 2. Reset Button
- 3. Network
- 4. Waterproof Lid



Video & Audio		Software	
Image Sensor	1/2.7"	Frame Rate	2-30FPS
Default Video Info	2560x1920 (5 Megapixels)@20FPS		MAIN:1024-8192Kbps default: 4096kbps
Lens	f = 4mm , F = 2	Code Rate	Sub:64-512Kbps default: 256kbps
Zoom	N/A		
Video Format	H.264	Browsers	Edge, Chrome, Firefox, Safari
□:- - -£\/:	11	Supported	3 , . ,

Field of View	Horizontal: 80°. Vertical: 42°		
	• • •	ام معلم ما	PC: Windows, Mac OS; Smartphone: iOS,
Pan/Tilt Angle	N/A	OS Supported	Android

Day&Night	IR-cut filter with auto-switching	Smart Alarm	Motion Detection AI Detection

Infrared Night	30 Meters (100ft)(LED: 18pcs/14mil/850nm)	Record Mode	Motion Recording; Scheduled Recording; 24/7
Vision	30 Meters (1001t)(LED. 16pcs/14ff111/650f1ff1)	Record Mode	Recording

Color Night Vision N/A		HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP,
	Protocols &	111P3, 33L, 1CP/IP, 0DP, 111P, IPV4, 0PIIP,
	PIOLOCOIS &	

Audio	Built-in Microphone	Protocois & Standards	RTSP, RTMP, SMTP, NTP, DHCP, DNS, DDNS,
Interface		Staridards	FTP, P2P

Power	DC 12V/1A	Maximal User	20 users (1 admin account & 19 user&administrator accounts); supports up to
System	Reset Button	Access	12 simultaneous video streams (10

3			substreams & 2 mainstreams)
Ethernet	One 10M/100Mbps RJ45	IOT	N/A

Ctorago	Micro SD Card Slot (support up to 256GB micro			
Storage	SD card); Reolink NVR	Work with	Google Assistant	



ΑI

Human Detection	√
Car Detection	\checkmark
Pet Detection	N/A
Auto Tracking	N/A
Wi-Fi	
Wireless Standard	IEEE 802.11a/ b/g/n
Operating Frequency	2.4 GHz/5 GHz
Wireless Security	WPA-PSK/WPA2-PSK
Working Environment	
Temperature	-10°C~+55°C(14°F~131°F)
Temperature Humidity	-10°C~+55°C(14°F~131°F) 10%~90%
Humidity	10%~90%
Humidity Waterproof	10%~90%
Humidity Waterproof Size & Weight	10%~90% IP66
Humidity Waterproof Size & Weight Dimension	10%~90% IP66 Φ67 x 186mm

reolink.com



www.reolink.com