

Artikelnummer:
70513

EAN-Nummer:
4000870705131

Name
FN SimpLED Strip Set 5m Motion RGB 10W 230/12V DC Weiß Kunststoff

Hersteller
Paulmann

Artikelinfo

Interner Code	705.13
EAN	4000870705131
Farbe	Weiß
Material	Kunststoff
Garantie	5 Jahre
Hersteller	Paulmann
Lieferumfang	Montageanleitung Fernbedienung Batterien



Abmessungen

Gewicht netto	284 g
Länge	5,04 m
Sekundäranschlussleitung	100+10 cm
Verpackungsmaße BxHxL	20.7 x 25.8 x 7.6 cm
Abmessung (Höhe x Breite x Tiefe)	H: 3 T: 10 mm














Technische Daten


Batterietyp	1xCR 2025/3V
Dimmbar	Ja
Spannung	230/12 V
Trafoleistung	12 VA

Leuchtmitteldaten


Bestückung	10 W
Anzahl Bestückung	1x
Entspricht Glühlampe	30 W
Anzahl Brennstellen	nv
Lebensdauer	20.000 h
Bestückung	incl. 1x10 W
Leuchtmittelleigenschaft	LED fest integriert

<p>Art.-Nr.: 705.13 705.14 705.15</p> <p>PLIR 04/19</p> <p></p>	<p> 705.13: 5m</p> <p> 1x</p> <p> 1x</p> <p> 1x</p>	<p>705.14: 7.6m 705.15: 10m</p> <p> 1x</p> <p> 1x</p> <p> 1x</p> <p> 1x</p>	<p></p> <p></p>
--	--	--	---


A




B



C



D










Paulmann




www.paulmann.com/manual-digled/all

- | | | | |
|---|---|---|--|
|  | Static Light effects:
dimming brightness up
Dynamic Light effects:
increases speed of light effect |  | Static Light effects:
dimming brightness down
Dynamic Light effects:
slows down speed of light effect |
|  | W/W/W shift key |  | ON/OFF key |
|  | Auto-cycle mode |  | flow to two terminals from centre
(CS,C3,C7,C16) |
|  | flow to centre from two terminals
(CS,C3,C7,C16) |  | IC number increasing cycle |
|  | eight-color choice key in static model |  | Trail into left (CS,C3,C7,C16) |
|  | Trail into right (CS,C3,C7,C16) |  | Trail from two directions in turn |
|  | three-color choice key in static model |  | Horse race to left direction (CS,C3,C7,C16) |
|  | Horse race to right direction (CS,C3,C7,C16) |  | Flash function key (CS,C3,C7,C16) |
|  | seven-color choice key in static model |  | spread to left (CS,C3,C7,C16) |
|  | spread to right (CS,C3,C7,C16) |  | Jump efficient key (CS,C3,C7,C16) |
|  | sixteen-color choice key in static model |  | Queued color running to left with a tag
(CS,C3,C7,C16) |
|  | Queued color running to right with a tag
(CS,C3,C7,C16) |  | Queued color running with a tag from two
directions in turn |

on / off

Dimm

 IC number increasing cycle

white / warm white

Light effects


Choose color



3 color

7 color


16 color

Mix of all effects

Mix of 

Fade  

Color jump

Mix of 

Speed